# Index to volume 55

## AUTHOR INDEX


A

ABE, C. (*See* Fujimori et al.), 630

ABRAMSON, DANIEL J. Curling's ulcer in childhood: review of the literature and report of 5 cases, 321

ADAR, RAPHAEL. (*See* Mozes et al.), 621

AGMON, MOSHE. (*See* Mozes et al.), 621

ALBRECHT, MISA. (*See* Weidner, Albrecht, and Clowes), 73

ALLEN, HERBERT C. (*See* Chamberlin, Fries, and Allen), 787

AMIR-JAHED, A. K. (*See* Miller and Amir-Jahed), 737

ANDERSON, HOWARD A. (*See* Payne, Andersen, and Ellis), 344

ANDERSON, MARION C., BOOHER, DELBERT L., AND LIM, TOH BIN. Treatment of acute pancreatitis with adrenocorticosteroids, 551

ARIEL, IRVING M., AND RESNICK, MICHAEL I., with the technical assistance of GALEY, DONNA. The intralymphatic administration of radioactive isotopes and cancer chemotherapeutic drugs, 355

ASSIMACOPOULOS, COSTAS A. (*See* Salmon and Assimacopoulos), 446

AUSTIN, DALE J. (*See* Thompson, Austin, and Wheeler), 42

AXTELL, H. K. (*See* Marchioro et al.), 412

B

BALLARD, ROBERT. (*See* Seavers et al.), 516

BALLINGER, WALTER F., II, CAMISHION, RUDOLPH C., AND FISHMAN, NOEL. An absorbable intraluminal tube for operations upon coronary arteries, 695

—, SCICCHITANO, LEON P., BARANSKI, EDWARD J., AND CAMISHION, RUDOLPH C. The effects of cardiopulmonary denervation, 574

BARANSKI, EDWARD J. (*See* Ballinger et al.), 574

BASSETT, DAVID L. (*See* Kelley and Bassett), 495

BEATTIE, EDWARD J. (*See* Rosswick, Economou, and Beattie), 559

BEDER, OSCAR E. (*See* Condon and Beder), 714

BEEBE, HUGH. (*See* Schwartz et al.), 106

BERGHUIS, JACOB. (*See* Lindberg et al.), 665

BERNARD, HARVEY R. (*See* Cole, Bernard, and Dunn), 436

BERNSTEIN, EUGENE F. (*See* Cobbin et al.), 564

BETTEX, MARCEL, AND STILLHART, HUGO. Operation for hiatus hernia and cardioesophageal chalasia by fundoplication after Nissen, 451

BLALOCK, ALFRED. (*See* Greenfield and Blalock), 684

BLIVEN, FLOYD E. (*See* Engler et al.), 654

BOBA, ANTONIO. (*See* Powers et al.), 15

BOGOKOWSKY, HARRY. (*See* Mozes et al.), 621

BOOHER, DELBERT L. (*See* Anderson, Booher, and Lim), 551

BOOHER, ROBERT J. (*See* Fortner, Booher, and Pack), 485

BREARLEY, R. (*See* Dagradi, Galanti, and Brearley), 709

BRITTAIN, R. S. (*See* Starzl et al.), 195

BROMBERG, BERTRAM E., SONG, IN CHUL, KOEHNLEIN, EDZARD, AND MOHN, MELVIN P. Nonsuture fixation of split-thickness skin grafts, 846

BUETOW, GERALD W. (*See* Crampton et al.), 607

BUSH, HUBERT S., JR. (*See* Jacobson and Bush), 418

C

CALI, JOSEPH R. (*See* Crampton et al.), 607

CAMISHION, RUDOLPH C. (*See* Ballinger, Camishion, and Fishman), 695

—. (*See* Ballinger et al.), 574

CERINO, MICHELE, MCGRAW, JOHN Y., AND LUKE, JOSEPHUS C. Autogenous vein graft replacement of thrombosed deep veins. Experimental approach to the treatment of the postphlebitic syndrome, 123



January, pp. 1-194; February, pp. 195-350; March, pp. 351-484; April, pp. 485-606; May, pp. 607-752; June, pp. 753-892.

CHAMBERLIN, JAMES ALLEN, FRIES, JOHN G., AND ALLEN, HERBERT C. Thyroid carcinoma and the problem of postoperative tetany, 787

CHAMBERS, JOHN P. (*See* Linn et al.), 809

CHASNOW, E. A., SMALL, H. S., HENRY, J. H., PAPPER, E. M., AND NAHAS, G. G. The effect of morphine, meperidine, and thiopental in hypovolemic shock, 567

CLEVELAND, BENNY R., AND GREEN, WILLIAM O., JR. Squamous cell carcinoma arising in a pilonidal sinus, 381

CLOWES, GEORGE H. A., JR. (*See* Weidner, Albrecht, and Clowes), 73

COBBIN, ODELL, MADSEN, ARTHUR J., BERNSTEIN, EUGENE F., AND WANGENSTEEN, OWEN H. Preliminary report of a new intestinal intubation principle, with application to the large bowel, 564

COFFEY, ROBERT J. (*See* Hirsch et al.), 759

COHEN, STEPHEN P. (*See* Nachlas, Friedman, and Cohen), 700

COLE, DONALD R., ROUSSELOT, LOUIS M., SLATTERY, JOHN, AND CONTE, ALEXANDER J. Absorption patterns of intraluminal 5-fluorouracil in the isolated right colon of the dog, 252

COLE, WILLIAM R., BERNARD, HARVEY R., AND DUNN, BRUCE. Growth of bacteria on direct expansion air-conditioning coils, 436

COLODNY, ARNOLD H. (*See* Schuster and Colodny), 735

COLT, JAMES D. Protective shield for carotid surgery, 250

CONDON, ROBERT E., AND BEDER, OSCAR E. A study of titanium implants in a corrosion-producing environment, 714

CONNOLLY, JOHN E., HARRIS, EDMUND J., AND MILLS, WILLIAM, JR. Autogenous in situ saphenous vein for bypass of femoral-popliteal obliterative disease, 144

CONTE, ALEXANDER J. (*See* Cole et al.), 252

COOK, GALEN B. The silicone serosal interface. I. Abatement of talc adhesions in dogs, 268

COX, JOHN S. T. (*See* Warren et al.), 135

CRAMPTON, RAY S., CALI, JOSEPH R., YERYS, PAUL, BUETOW, GERALD W., AND GLAUBITZ, JOHN P. Experience with gastric hypothermia for active upper gastrointestinal tract hemorrhage, 607

CRANLEY, JOHN J., KRAUSE, RAYMOND J., STRASSER, EDWARD S., HAFNER, CHARLES D., AND FOGARTY, THOMAS J. Peripheral arterial embolism: changing concepts, 57

—. (*See* Hafner, et al.), 201

CROSBY, WILLIAM H. General principles of blood transfusion, 483

D

DAGRADI, A., GALANTI, G., AND BREARLEY, R. Regeneration of the liver following multiple resections, 709

DALE, W. ANDREW, AND DEWEESE, JAMES A. Autogenous venous grafts for arterial repair, 870

DANOFF, DUDLEY S., AND GREENE, NICHOLAS M. Vasodilation and the metabolic response to hemorrhage, 820

DARLING, R. CLEMENT, AND LINTON, ROBERT R. Aortoiliofemoral endarterectomy for atherosclerotic occlusive disease, 184

DEAN, RICHARD E., AND READ, RAYMOND C. The influence of increased blood flow on thrombosis on prosthetic grafts, 581

DEL AGUILA, RAMON PURON. (*See* Just-Viera, del Aguila, and Yeager), 531

DELIN, N. ANDERS. (*See* Pollock et al.), 299

DEMOS, NICHOLAS J., AND POTICHA, STUART M. Gastric rupture occurring during external cardiac resuscitation, 364

DERUSSO, FRANKLIN J. (*See* Szilagyi, Pfeifer, and DeRusso), 165

DEWEESE, JAMES A. (*See* Dale and DeWeese), 870

DIVELEY, WALTER L. (*See* Killen et al.), 612

DOMINGO, RODOLFO T. (*See* Sawyer et al.), 113

DUCKETT, J. W. The Halsted heritage, 859

DUNN, BRUCE. (*See* Cole, Bernard, and Dunn), 436

E

ECONOMOU, STEVEN. (*See* Rosswick, Economou, and Beattie), 559

EFFLER, DONALD B. Surgical procedures for relief of myocardial ischemia: preliminary report, 90

EGDAHL, RICHARD H. Chronic alcoholic pancreatitis: A surgical disease? 604

EISEMAN, B. (See Spencer and Eiseman), 64

ELLIS, F. HENRY, JR. (*See* Payne, Anderson, and Ellis), 344

ENGLER, HAROLD S., FERNANDEZ, ANTONIO, BLIVEN, FLOYD E., AND MORETZ, WILLIAM H. Cancer arising in scars of old burns and in chronic osteomyelitis, ulcers, and drainage sites, 654

F

FELDMAN, M. G., WARNER, R. R. P., KREEL, I., AND PARNES, I. A new technique for the study of intestinal obstruction in the dog, 258

FERNANDEZ, ANTONIO. (*See* Engler et al.), 654

FISHMAN, NOEL. (*See* Ballinger, Camishion, and Fishman), 695

FOGARTY, THOMAS J. (*See* Cranley et al.), 57

FORTNER, JOSEPH G., BOOHER, ROBERT J., AND PACK, GEORGE T. Results of groin dissection for malignant melanoma in 220 patients, 485

FOSTER, JOHN H. (*See* Killen et al.), 612

—. (*See* Rhea et al.), 831

FRATER, R. W. M., AND KAPLAN, B. Bilateral bronchostenosis: successful surgical repair at one operation, 407

FRIEDMAN, MELVIN M. (*See* Nachlas, Friedman, and Cohen), 700

FRIES, JOHN G. (*See* Chamberlin, Fries, and Allen), 787

FUJIMORI, M. SAKAUCHI, G., ISUO, M., ABE, C., MORITA, S., NASHIMOTO, T., ISHIKAWA, S., SADMITSU, H., AND KAWAI, T. Studies on regional perfusion and intra-arterial infusion for cancer chemotherapy, 630

G

GALANTI, G. (*See* Dagradi, Galanti, and Brearley), 709

GALEY, DONNA. (*See* Ariel and Resnick), 355

GANS, HENRY. Study of fibrinogen turnover rates after total hepatectomy in dogs, 544

GERBER, LEON. (*See* Hirsch et al.), 759

GHANDUR-MANYMNEH, LATIFEH. (*See* Slim et al.), 676

GLAUBITZ, JOHN P. (*See* Crampton et al.), 607

GOLDFARB, WALTER B., AND KEMPSON, RICHARD. Villous adenomas of the appendix, 769

GOLDMAN, MILTON L. (*See* Hirsch et al.), 759

GOMEZ, ROLANDO L. (*See* Warren et al.), 135

GOOSELAW, J. G., AND ISAACSON, P. G. Partial intussusception of esophagus into a plastic prosthesis, 248

GREEN, WILLIAM O., JR. (*See* Cleveland and Green), 381

GREENBLATT, MELVIN. (*See* Mann, Wolf, and Greenblatt), 672

GREENE, NICHOLAS M. (*See* Danoff and Greene), 820

GREENFIELD, LAZAR, AND BLALOCK, ALFRED. Effect of low molecular weight dextran on survival following hemorrhagic shock, 684

GRISMER, JEROME T., LEVY, MORRIS J., LILLEHEI, RICHARD C., INDEGLIA, ROBERT, AND LILLEHEI, C. WALTON. Renal function in acquired valvular heart disease and effects of extracorporeal circulation, 24

GROTE, GUSTAV. (*See* Schlosser and Grote), 440

H

HABERMANN, EDWARD T. (*See* Wilder, Habermann, and Nach), 214

HAFNER, CHARLES D., CRANLEY, JOHN J., KRAUSE, RAYMOND J., AND STRASSER, EDWARD S. A method of managing superficial thrombophlebitis, 201

—. (*See* Cranley et al.), 57

HALLER, JORDAN D. Guy de Chauliac and his Chirurgia Magna, 337

—, AND ROBERTS, THEOPHILUS W. Lipomas of the colon: a clinicopathologic study of 20 cases, 773

HAMEL, ARNOLD L., AND MOE, JOHN H. Effect of total ischemia on hind limbs of dogs subjected to hypothermia, 274

HARDIN, CREIGHTON A. Survival and complications in 134 surgically treated cases of aortoiliac thrombosis, 617

—, AND SNODGRASS, R. GLENN. Dissecting aneurysm of internal carotid artery treated by fenestration and graft, 207

HARRIS, EDMUND J. (*See* Connolly, Harris, and Mills), 144

HARRIS, LLOYD E. (*See* Sibley, Lynn, and Harris), 462

HAWTOF, DAVID. (*See* Shumacker et al.), 687

HEGEDUS, STEPHEN A. (*See* Linn et al.), 809

HENRY, J. H. (*See* Chasnow et al.), 567

HERENDEEN, THOMAS. (*See* Shumacker et al.), 687

HERMANN, GILBERT. (*See* Marchioro et al.), 505

—. (*See* Starzl et al.), 195

HERRINGTON, J. LYNWOOD, JR. A more aggressive surgical attitude in the management of the massively bleeding duodenal ulcer, 349

HICKEN, N. FREDERICK, AND MCALLISTER, A. JAMES. Operative cholangiography as an aid in reducing the incidence of "overlooked" common bile duct stones: a study of 1,293 choledocholithotomies, 753

HIRSCH, ERWIN F., GERBER, LEON, COFFEY, ROBERT J., AND GOLDMAN, MILTON L. Mucoid carcinoma of the gallbladder: clinical management of excessive drainage, 759

HOLMES, J. H. (*See* Starzl et al.), 195

HOLMES, THOMAS W. (*See* Johnson and Holmes), 854

HOSTNIK, WILLIAM. (*See* Powers et al.), 15

HOWES, EDWARD L. (*See* Smith and Howes), 262

HUBBARD, W. W. (*See* Killen et al.), 612

HUGOSSON, RUNE, NORDSTRÖM, SAM, AND SILANDER, TORSTEN. Experimental brain perfusion, 427

HUME, DAVID M. (*See* Mannick and Hume), 154

HUMPHREY, EDWARD W. Training in physiology during a surgical residency, 602

HUMPHRIES, ARTHUR L., JR., MORETZ, WILLIAM H., AND PEIRCE, E. CONVERSE, II. Twenty-four hour kidney storage with report of a successful canine autotransplant after total nephrectomy, 524

I

IDRISS, F. S., AND RIKER, W. L. Repair of tetralogy of Fallot with previous aortic-pulmonary anastomosis, 85

INDEGLIA, ROBERT. (*See* Grismer et al.), 24

ISAACSON, P. G. (*See* Gooselaw and Isaacson), 248

ISHIKAWA, S. (*See* Fujimori et al.), 630

IZUO, M. (*See* Fujimori et al.), 630

J

JACOBSON, JULIUS H., II, AND BUSH, HUBERT S., JR. More foreign material with continuous or interrupted suture technique? 418

JERNIGAN, SHELBY. (*See* Seavers et al.), 516

JOHNSON, JERROLD. (*See* Seavers et al.), 516

JOHNSON, MARTIN C., AND HOLMES, THOMAS W. Torsion and the ectopic testis, 854

JONES, BERNICE. (*See* Schumer, Lee, and Jones), 841

JUDD, DONALD. (*See* Shumacker et al.), 687

JUST-VIERA, JORGE O., DEL AGUILA, RAMON PURON, AND YEAGER, GEORGE H. Experimental control of renal hemorrhage with the use of rapidly polymerizing adhesives, 531

K

KAISER, GEORGE C. (*See* Kilman et al.), 455

KAPLAN, B. (*See* Frater and Kaplan), 407

KAWAI, T. (*See* Fujimori et al.), 630

KELLEY, KEITH A., AND BASSETT, DAVID L. An anatomic reappraisal of the hernia of Morgagni, 495

KEMPSON, RICHARD. (*See* Goldfarb and Kempson), 769

KILLEN, DUNCAN A. Endoscopic catheterization of H-type tracheoesophageal fistula, 317

—, FOSTER, JOHN H., RHEA, W. G., JR., MCCRACKEN, R. L., DIVELEY, WALTER L., AND HUBBARD, W. W. Experience with pulmonary resections limited to one lobe in the treatment of tuberculosis, 612

—. (*See* Rhea et al.), 831

KILMAN, JAMES W., KAISER, GEORGE C., KING, ROBERT D., AND SHUMACKER, HARRIS B, JR. Pancreatic pseudocysts in infancy and childhood, 455

KING, ROBERT D. (*See* Kilman et al.), 455

KIRKLIN, JOHN W. (*See* Lindberg et al.), 655

KJARTANSSON, KJARTAN B. (*See* Pollock et al.), 299

KOBAK, MATHEW W. Transit of foreign bodies from the intestinal tract through the abdominal wall: report of an instance of passage of toothbrushes, 514

KOEGEL, EWALD. (*See* Malette et al.), 500

KOEHNLEIN, EDZARD. (*See* Bromberg et al.), 846

KRAUSE, RAYMOND J. (*See* Cranley et al.), 57

—. (*See* Hafner et al.), 201

KREEL, I. (*See* Feldman et al.), 258

L

LAFAVE, JAMES W. (*See* Perry and LaFave), 351

LAVIA, M. F. (*See* Marchioro et al.), 412

LEE, DOMINGO K. (*See* Schumer, Lee, and Jones), 841

LESSER, ARTHUR J. Pylorojejunostomy, a new gastric drainage procedure. Preliminary report, 837

LEVY, MORRIS J. (*See* Grismer et al.), 24

LILLEHEI, C. WALTON. (*See* Grismer et al.), 24

LILLEHEI, RICHARD C. (*See* Grismer et al.), 24

LIM, TOH BIN. (*See* Anderson, Booher, and Lim), 551

LINDBERG, EVAN F., BERGHUIS, JACOB, THEYE, RICHARD A., AND KIRKLIN, JOHN W. Plasma hemoglobin levels associated with use of a vertical-sheet pump-oxygenator (Mayo-Gibbon type), 665

LINN, BERNARD S., MOOREHEAD, ARCHIE C., WISE, S. P., III, CHAMBERS, JOHN P., HEGEDUS, STEPHEN A., ROTHFELD, BENJAMIN, AND SHACKELFORD, RICHARD T. The toe pulse, a useful clinical tool, 809

LINTON, ROBERT R. (*See* Darling and Linton), 184

LISCHER, CARL E. An appraisal of the differential diagnosis of jaundice, 473

LONG, DAVID M. (*See* Virgilio et al.), 825

LOUW, JAN H. The treatment of combined aorto-iliac and femoropopliteal occlusive disease by splenofemoral and axillofemoral bypass grafts, 387

LUKE, JOSEPHUS C. (*See* Cerino, McGraw, and Luke), 123

LYNCH, JOHN. (*See* Seavers et al.), 516

LYNN, HUGH B. (*See* Sibley, Lynn, and Harris), 462

M

McAllister, A. James. (*See* Hicken and McAllister), 753

McCann, William J. A simple hand drill for arterial surgery, 812

McClenathan, James E. (*See* Virgilio et al.), 825

McCracken, R. L. (*See* Killen et al.), 612

McDonald, Khlar E. (*See* Pollock et al.), 299

McGraw, John Y. (*See* Cerino, McGraw, and Luke), 123

McIntosh, Duncan A. (*See* Malette et al.), 500

McPhaul, John J. (*See* Malette et al.), 500

Madejski, T., and Tobik, S. Arteriographic errors in occlusive diseases of lower limbs, 210

Madsen, Arthur J. (*See* Cobbin et al.), 564

Mahoney, Earle B., and Manning, James A. Congenital abnormalities of the aortic arch, 1

Makino, Hiroyasu. (*See* Nakayama et al.), 796

Malette, William G., McPhaul, John J., Park, Oakley K., McIntosh, Duncan A., and Koegel, Ewald. An improved peritoneal access button for dialysis in chronic renal failure, 500

Mann, Lawrence S., Wolf, Abraham, and Greenblatt, Melvin. Intussception due to mucocele of the appendix, 672

Mannick, John A., and Hume, David M. Salvage of extremities by vein grafts in far-advanced peripheral vascular disease, 154

Manning, James A. (*See* Mahoney and Manning), 1

Marchioro, T. L., Axtell, H. K., LaVia, M. F., Waddell, W. R., and Starzl, T. E. The role of adrenocortical steroids in reversing established homograft rejection, 412

—, Hermann, Gilbert, Waddell, W. R., and Starzl, T. E. Pulmonary embolectomy in a patient with recent renal homotransplantation, 505

—. (*See* Starzl et al.), 195

Marston, J. A. P. (*See* Warren et al.), 135

Massion, Walter H. (*See* Talaat, Massion, and Schilling), 813

Meade, Richard H. The evolution of surgery for appendicitis, 741

Mikal, Stanley. Primary lymphoma of the thyroid gland, 233

Milch, Henry. Torsional malalignments in transverse fractures of the lower end of the radius, 397

Miles, James S., von Kaulla, Edith, and von Kaulla, Kurt N. Major surgical procedures, including amputation, on a hemophiliac, 220

Miller, Maurice M., and Amir-Jahed, A. K. Total intestinal atresia, 737

Mills, William, Jr. (*See* Connolly, Harris, and Mills), 144

Moe, John H. (*See* Hamel and Moe), 274

Mohn, Melvin P. (*See* Bromberg et al.), 846

Moorehead, Archie C. (*See* Linn et al.), 809

Moretz, William H. (*See* Engler et al.), 654

—. (*See* Humphries, Moretz, and Peirce), 524

Morita, S. (*See* Fujimori et al.), 630

Mozes, Mark, Adar, Raphael, Bogokowsky, Harry, and Agmon, Moshe. Vein ligation in the treatment of pulmonary embolism, 621

Mundth, Eldred D. (*See* Virgilio et al.), 825

Murphy, D. Alton. Internal hernias in infancy and childhood, 311

Mustard, W. T. Successful two-stage correction of transposition of the great vessels, 469

N

Nach, Ralph L. (*See* Wilder, Habermann, and Nach), 214

Nachlas, Marvin M., Friedman, Melvin M., and Cohen, Stephen P. A method for the quantitation of myocardial infarcts and the relation of serum enzyme levels to infarct size, 700

Nahas, G. G. (*See* Chasnow et al.), 567

Nakayama, Komei, Yamamoto, Katsumi, Tamiya, Tatsuo, Makino, Hiroyasu, Odaka, Michio, Ohwada, Misao, and Takahashi, Hideo. Experience with free autografts of the bowel with a new venous anastomosis apparatus, 796

Nashimoto, T. (*See* Fujimori et al.), 630

Neville, William E., White, Robert J., and Verdura, Javier. Relationship of flow rate, "excess lactate," and buffer base during closed chest profound hypothermic perfusion with a pump oxygenator, 281

Nordström, Sam. (*See* Hugosson, Nordström, and Silander), 427

O

Odaka, Michio. (*See* Nakayama et al.), 796

Ohwada, Misao. (*See* Nakayama et al.), 796

P

Pack, George T. (*See* Fortner, Booher, and Pack), 485

PAPPER, E. M. (*See* Chasnow et al.), 567

PARK, OAKLEY K. (*See* Malette et al.), 500

PARNES, I. (*See* Feldman et al.), 258

PATE, JAMES W. Thrombosis on sutures in various cardiac chambers, 291

PAYNE, W. SPENCER, ANDERSEN, HOWARD A., AND ELLIS, F. HENRY, JR. Reappraisal of esophagogastrectomy and antral excision in the treatment of short esophagus, 344

PEIRCE, E. CONVERSE, II. (*See* Humphries, Moretz, and Peirce), 524

PERRY, JOHN F., JR. Combined internal-external drainage of pseudocyst of the the pancreas: Roux-en-Y cystjejunostomy and catheter enterostomy, 511

—, AND LAFAVE, JAMES W. Biliary decompression without other external drainage in treatment of liver injuries, 351

PETROV, B. A. Retrosternal artificial esophagus created from colon: 100 operations, 520

PFEIFER, JOHN R. (*See* Szilagyi, Pfeifer, and DeRusso), 165

POLLOCK, LAWRENCE, MCDONALD, KHLAR E., KJARTANSSON, KJARTAN B., DELIN, N. ANDERS, AND SCHENK, WORTHINGTON G., JR. Influence of hyperventilation on cardiac output and renal blood flow, 299

POTICHA, STUART M. (*See* Demos and Poticha), 364

POWERS, SAMUEL R., JR., BOBA, ANTONIO, HOSTNIK, WILLIAM, AND STEIN, ARTHUR. Prevention of postoperative acute renal failure with mannitol in 100 cases, 15

R

RAGHEB, SAMIR, AND VINEBERG, ARTHUR. The effect of epicardectomy on ventricular fibrillation threshold, 293

READ, RAYMOND C. (*See* Dean and Read), 581

REMINE, WILLIAM H. (*See* Walters and ReMine), 585

RESNICK, MICHAEL I. (*See* Ariel and Resnick), 355

RHEA, W. G., JR. (*See* Killen et al.), 612

—, SESSIONS, ROBERT T., KILLEN, DUNCAN A., AND FOSTER, JOHN H. Multiple-injection toxicity of Angio-CONRAY, 831

RIKER, W. L. (*See* Idriss and Riker), 85

ROB, CHARLES. (*See* Schwartz et al.), 106

ROBERTS, BROOKE, ROSATO, FRANCIS E., AND ROSATO, ERNEST F. Heparin—a cause of arterial emboli? 803

ROBERTS, THEOPHILUS W. (*See* Haller and Roberts), 773

ROSATO, ERNEST F. (*See* Roberts, Rosato, and Rosato), 803

ROSATO, FRANCIS E. (*See* Roberts, Rosato, and Rosato), 803

ROSS, STUART T. Surgical treatment of ulcerative colitis, 782

ROSSWICK, ROBERT PAUL, ECONOMOU, STEVEN, AND BEATTIE, EDWARD J. Effects of gastric hyperthermia on gastric acid secretion in the dog, 559

ROTHFELD, BENJAMIN. (*See* Linn et al.), 809

ROUSSELOT, LOUIS M. (*See* Cole et al.), 252

RUBEIZ, GEORGE A. (*See* Slim et al.), 676

RUTLEDGE, ROBB H. Comments on Henley's remedial operation for dumping syndrome, 762

S

SADMITSU, H. (*See* Fujimori et al.), 630

SAKAUCHI, G. (*See* Fujimori et al.), 630

SALMON, PETER A., AND ASSIMACOPOULOS, COSTAS A. A pneumatic needle holder suitable for microsurgical procedures, 446

SAWYER, PHILIP N., SCHAEFER, HAROLD C., DOMINGO, RODOLFO T., AND WESOLOWSKI, SIGMUND A. Comparative therapy of thrombophlebitis, 113

SCHAEFER, HAROLD C. (*See* Sawyer et al.), 113

SCHENK, WORTHINGTON G., JR. (*See* Pollock et al.), 299

SCHILLING, JOHN A. (*See* Talaat, Massion, and Schilling), 813

SCHLOSSER, VOLKER, AND GROTE, GUSTAV. Blood gases and acid-base metabolism with the use of blood and blood substitutes in artificial circulation during hypothermia, 440

SCHUMER, WILLIAM, LEE, DOMINGO, K., AND JONES, BERNICE. Peritoneal lavage in postoperative therapy of late peritoneal sepsis. Preliminary report, 841

SCHUSTER, SAMUEL R., AND COLODNY, ARNOLD H. A useful maneuver to simplify pyloromyotomy for hypertrophic pyloric stenosis, 735

SCHWARTZ, SEYMOUR I., SHAY, HARRIS P., BEEBE, HUGH, AND ROB, CHARLES. Effect of low molecular weight dextran on venous flow, 106

SCICCHITANO, LEON P. (*See* Ballinger et al.), 574

SEAVERS, RAY, LYNCH, JOHN, BALLARD, ROBERT, JERNIGAN, SHELBY, AND JOHNSON, JERROLD. Hypogastric artery ligation for uncontrollable hemorrhage in acute pelvic trauma, 516

SESSIONS, ROBERT T. (*See* Rhea et al.), 831

SEWELL, WILLIAM H. Coronary cinearteriography and pedicle operation in diagnosis and treatment of coronary insufficiency, 99

SHACKELFORD, RICHARD T. (*See* Linn et al.), 809

SHAY, HARRIS P. (*See* Schwartz et al.), 106

SHOEMAKER, WILLIAM C. (*See* Susuki and Shoemaker), 304

SHUMACKER, HARRIS B, JR., HAWTOF, DAVID, HERENDEEN, THOMAS, JUDD, DONALD, AND WEBB, MICHAEL K. Osmotic diuresis and experimental renal ischemia, 687

—. (*See* Kilman et al.), 455

SIBLEY, WILLIAM L., III, LYNN, HUGH B., AND HARRIS, LLOYD E. A twenty-five year study of infantile umbilical hernia, 462

SIEGEL, RUDOLPH E. Vascular catheterization during the 19th century: Claude Bernard's studies on animal heat, 595

SILANDER, TORSTEN. (*See* Hugosson, Nordström, and Silander), 427

SLATTERY, JOHN. (*See* Cole et al.), 252

SLIM, MICHEL S., YACOUBIAN, HAGOP, D., WILSON, JOHN L., RUBEIZ, GEORGE A., AND GHANDUR-MANYMNEH, LATIFEH. Successful bilateral reimplantation of canine lungs, 676

SMALL, H. S. (*See* Chasnow et al.), 567

SMITH, GEORGE V., AND HOWES, EDWARD L. Absence of histamine-reserpine ulcers in pyloric pouches free of acid, 262

SNODGRASS, R. GLENN. (*See* Hardin and Snodgrass), 207

SONG, IN CHUL. (*See* Bromberg et al.), 846

SPENCER, F. C., AND EISEMAN, B. Delayed arterial embolectomy—a new concept, 64

SPENCER, ROWENA. Gastrointestinal hemorrhage in infancy and childhood: 476 cases, 718

SPIER, ROBERT. Prevention of experimental staphylococcal wound infections in rabbits with topical kanamycin, 421

STARZL, T. E., MARCHIORO, T. L., HOLMES, J. H., HERMANN, G., BRITTAIN, R. S., STONINGTON, O. H., TALMAGE, D. W., AND WADDELL, W. R. Renal homografts in patients with major donor-recipient blood group incompatibilities, 195

—. (*See* Marchioro et al.), 412

—. (*See* Marchioro et al.), 505

STEIN, ARTHUR. (*See* Powers et al.), 15

STILLHART, HUGO. (*See* Bettex and Stillhart), 451

STONINGTON, O. H. (*See* Starzl et al.), 195

STRASSER, EDWARD S. (*See* Cranley et al.), 57

—. (*See* Hafner et al.), 201

STRAUCH, GERALD O. Small-bowel neoplasms: elusive source of abdominal symptoms, 240

SUSUKI, FUNIO, AND SHOEMAKER, WILLIAM C. Effect of low viscosity dextran on red cell circulation in hemorrhagic shock, 304

SZILAGYI, D., EMERICK, PFEIFER, JOHN R., AND DERUSSO, FRANKLIN J. Long-term evaluation of plastic arterial substitutes: an experimental study, 165

T

TAKAHASHI, HIDEO. (*See* Nakayama et al.), 796

TALAAT, SAMIR M., MASSION, WALTER H., AND SCHILLING, JOHN A. Effects of adenosine triphosphate administration in irreversible hemorrhagic shock, 813

TALMAGE, D. W. (*See* Starzl et al.), 195

TAMIYA, TATSUO. (*See* Nakayama et al.), 796

THEYE, RICHARD A. (*See* Lindberg et al.), 665

THOMPSON, JESSE E., AUSTIN, DALE J., AND WHEELER, C. GENE. Renal artery reconstruction for hypertension, 42

TOBIK, S. (*See* Madejski and Tobik), 210

V

VERDURA, JAVIER. (*See* Neville, White, and Verdura), 281

VINEBERG, ARTHUR. (*See* Ragheb and Vineberg), 293

VIRGILIO, RICHARD W., LONG, DAVID M., MUNDTH, ELDRED D., AND MCCLENATHAN, JAMES E. The effect of temperature and hematocrit on the viscosity of blood, 825

VON KAULLA, EDITH. (*See* Miles, von Kaulla, and von Kaulla), 220

VON KAULLA, KURT. (*See* Miles, von Kaulla, and von Kaulla), 220

W

WADDELL, W. R. (*See* Marchioro et al.), 412

—. (*See* Marchioro et al.), 505

—. (*See* Starzl et al.), 195

WALTERS, WALTMAN, AND REMINE, WILLIAM H. Appraisal of the various operations for peptic ulcer, 585

WANGENSTEEN, OWEN H. (*See* Cobbin et al.), 564

WARNER, R. R. P. (*See* Feldman et al.), 258

WARREN, RICHARD, GOMEZ, ROLANDO L., MARSTON, J. A. P., AND COX, JOHN S. T. Femoropopliteal arteriosclerosis obliterans —arteriographic patterns and rates of progression, 135

WEBB, MICHAEL K. (*See* Shumacker et al.), 687

WEIDNER, MICHAEL G., JR., ALBRECHT, MISA, AND CLOWES, GEORGE H. A., JR. Relationship of myocardial function to survival after oligemic hypotension, 73

WESOLOWSKI, SIGMUND A. (*See* Sawyer et al.), 113

WHEELER, C. GENE. (*See* Thompson, Austin, and Wheeler), 42

WHITE, ROBERT J. (*See* Neville, White, and Verdura), 281

WILDER, JOSEPH R., HABERMANN, EDWARD T., AND NACH, RALPH L. Subclavian vein obstruction secondary to hypertrophy of the terminal valve, 214

WILSON, CHARLES B. Chemotherapy of brain tumors by continuous arterial infusion, 640

WILSON, JOHN L. (*See* Slim et al.), 676

WISE, S. P., III. (*See* Linn et al.), 809

WOLF, ABRAHAM. (*See* Mann, Wolf, and Greenblatt), 672

Y

YACOUBIAN, HAGOP D. (*See* Slim et al.), 676

YAMAMOTO, KATSUMI. (*See* Nakayama et al.), 796

YEAGER, GEORGE H. (*See* Just-viera, del Aguila, and Yeager), 531

YERYS, PAUL. (*See* Crampton et al.), 607

YOUNG, H. MARK. Viral warts in the anorectum possibly precluding rectal cancer, 367

# SUBJECT INDEX


A

Abdominal symptoms, small-bowel neoplasms, elusive source of (Strauch), 240
wall, transit of foreign bodies from intestinal tract through: report of instance of passage of toothbrushes (Kobak), 514
Abnormalities, congenital, of aortic arch (Mahoney and Manning), 1
Absorbable intraluminal tube for operations upon coronary arteries (Ballinger, Camishion, and Fishman), 695
Absorption patterns of intraluminal 5-fluorouracil in isolated right colon of dog (Cole et al.), 252
Access button, peritoneal, improved, for dialysis in chronic renal failure (Malette et al.), 500
Adenomas, villous, of appendix (Goldfarb and Kempson), 769
Adenosine triphosphate, effects of administration in irreversible hemorrhagic shock (Talaat, Massion, and Schilling), 813
Adhesions, talc, abatement of, in dogs, by silicone serosal interface (Cook), 268
Adhesives, rapidly polymerizing, experimental control of renal hemorrhage with (Just-Viera, del Aguila, and Yeager), 531
Adrenocortical steroids, role in reversing established homograft rejection (Marchioro et al.), 412
Adrenocorticosteroids in treatment of acute pancreatitis (Anderson, Booher, and Lim), 551
Air-conditioning coils, direct expansion, growth of bacteria on (Cole, Bernard, and Dunn), 437
Alcoholic pancreatitis, chronic: a surgical disease? (Egdahl), 604
Amputation, included among major surgical procedures on hemophiliac (Miles, von Kaulla, and von Kaulla), 220
Anastomosis, aortic-pulmonary, prior to repair of tetralogy of Fallot (Idriss and Riker), 85
apparatus, venous, for free autografts of bowel (Nakayama et al.), 796
Anatomic reappraisal of hernia of Morgagni (Kelley and Bassett), 495
Aneurysm, dissecting, of internal carotid artery, treated by fenestration and graft (Hardin and Snodgrass), 207
Angio-CONRAY, multiple-injection toxicity of (Rhea et al.), 831
Anorectum, viral warts in, possibly precluding cancer (Young), 367
Antral excision and esophagogastrectomy in treatment of short esophagus, reappraisal of (Payne, Andersen, and Ellis), 344
Aortic arch, congenital abnormalities of (Mahoney and Manning), 1
Aortic-pulmonary anastomosis, prior to repair of tetralogy of Fallot (Idriss and Riker), 85
Aortoiliac and femoropopliteal combined occlusive disease, treatment by splenofemoral and axillofemoral bypass grafts (Louw), 387
thrombosis, survival and complications in 134 surgically treated cases of (Hardin), 617
Aortoiliofemoral endarterectomy for atherosclerotic occlusive disease (Darling and Linton), 184
Appendicitis, evolution of surgery for (Meade), 741
Appendix, mucocele of, causing intussusception (Mann, Wolf, and Greenblatt), 672
villous adenomas of (Goldfarb and Kempson), 769
Arch, aortic, congenital abnormalities of (Mahoney and Manning), 1
Arterial embolectomy, delayed, new concept of (Spencer and Eiseman), 64
emboli, heparin as cause of (Roberts, Rosato, and Rosato), 803
embolism, peripheral, changing concepts of (Cranley et al.), 57
infusion, continuous, for chemotherapy of brain tumors (Wilson), 640
substitutes, plastic, long-term evaluation of, experimental study (Szilagyi, Pfeifer, and DeRusso), 165
surgery, simple hand drill for (McCann), 812
Arteries, coronary, absorbable intraluminal tube for operations upon (Ballinger, Camishion, and Fishman), 695
Arteriographic errors in occlusive diseases of lower limbs (Madejski and Tobik), 210
patterns of femoropopliteal arteriosclerosis obliterans, and rates of progression (Warren et al.), 135
Arteriosclerosis obliterans, femoropopliteal, arteriographic patterns and rates of progression of (Warren et al.), 135
Artery, hypogastric, ligation for uncontrollable hemorrhage in acute pelvic trauma (Seavers et al.), 516



January, pp. 1-194; February, pp. 195-350; March, pp. 351-484; April, pp. 485-606; May, pp. 607-752; June, pp. 753-892.

Artery—cont'd
internal carotid, dissecting aneurysm of, treated by fenestration and graft (Hardin and Snodgrass), 207
renal, reconstruction for hypertension (Thompson, Austin, and Wheeler), 42
Atherosclerotic occlusive disease, aortoiliofemoral endarterectomy for (Darling and Linton), 184
Atresia, intestinal, total (Miller and Amir-Jahed), 737
Autogenous in situ saphenous vein for bypass of femoral-popliteal obliterative disease (Connolly, Harris, and Mills), 144
vein graft replacement of thrombosed deep veins in treatment of postphlebitic syndrome, experimental approach (Cerino, McGraw, and Luke), 123
veinous grafts for arterial repair (Dale and DeWeese), 870
Autografts, free, of bowel, with new venous anastomosis apparatus (Nakayama et al.), 796
Autotransplant, renal, successful canine, after total nephrectomy: 24 hour kidney storage (Humphries, Moretz, and Peirce), 524
Axillofemoral and splenofemoral bypass grafts in treatment of combined aortoiliac and femoropopliteal occlusive disease (Louw), 387

B

Bacteria, growth on direct expansion air-conditioning coils (Cole, Bernard, and Dunn), 437
Bernard, Claude, his studies on animal heat: vascular catheterization during 19th century (Siegel), 595
Bile duct (common) stones, "overlooked," operative cholangiography as aid in reducing incidence of: 1,293 cases (Hicken and McAllister), 753
Biliary decompression without other external drainage in treatment of liver injuries (Perry and LaFave), 351
Bleeding duodenal ulcer, more aggressive surgical attitude in management of (Herrington), 349
Blood and blood substitutes in artificial circulation during hypothermia, blood gases and acid-base metabolism with use of (Schlosser and Grote), 440
flow, increased, influence on thrombosis in prosthetic grafts (Dean and Read), 581
gases and acid-base metabolism with use of blood and blood substitutes in artificial circulation during hypothermia (Schlosser and Grote), 440
group incompatibilities, major donor-recipient, renal homografts in patients with (Starzl et al.), 195
Blood—cont'd
transfusion, general principles of (Crosby), 483
viscosity of, effect of temperature and hematocrit on (Virgilio et al.), 825
Bowel, free autografts of, with new venous anastomosis apparatus (Nakayama et al.), 796
large, new intestinal intubation principle applicable to (Cobbin et al.), 564
small, neoplasms: elusive source of abdominal symptoms (Strauch), 240
Brain perfusion, experimental (Hugosson, Nordström, and Silander), 427
tumors, chemotherapy by continuous arterial infusion (Wilson), 640
Bronchostenosis, bilateral, successful repair at one operation (Frater and Kaplan), 407
Buffer base, relationship to flow rate and excess lactate during closed chest profound hypothermic perfusion with pump oxygenator (Neville, White, and Verdura), 281
Burns, old, scars of, source of cancer, with chronic osteomyelitis, ulcers, and drainage sites (Engler et al.), 654
Bypass, autogenous in situ saphenous vein, in femoral-popliteal obliterative disease (Connolly, Harris, and Mills), 144
grafts, splenofemoral and axillofemoral, in treatment of combined aortoiliac and femoropopliteal occlusive disease (Louw), 387

C

Cancer arising in scars of old burns and in chronic osteomyelitis, ulcers, and drainage sites (Engler et al.), 654
chemotherapeutic drugs and radioactive isotopes, intralymphatic administration of (Ariel and Resnick), 355
chemotherapy, regional perfusion and intra-arterial infusion for (Fujimori et al.), 630
possibly precluded by viral warts in anorectum (Young), 367
Canine lungs, successful bilateral reimplantation of (Slim et al.), 676
Carcinoma, mucoid, of gallbladder: clinical management of excessive drainage (Hirsch et al.), 759
squamous cell, arising in pilonidal sinus (Cleveland and Green), 381
thyroid, and postoperative tetany (Chamberlin, Fries, and Allen), 787
Cardiac chambers, thrombosis on sutures in (Pate), 291
output and renal blood flow, influence of hyperventilation on (Pollock et al.), 299
resuscitation, external, with gastric rupture (Demos and Poticha), 364

Cardioesophageal chalasia and hiatus hernia, operation by fundoplication after Nissen (Bettex and Stillhart), 451
Cardiopulmonary denervation, effects of (Ballinger et al.), 574
Carotid artery, internal, dissecting aneurysm of, treated by fenestration and graft (Hardin and Snodgrass), 207
surgery, protective shield for (Colt), 250
Catheter enterostomy and Roux-en-Y cystjejunostomy: combined internal-external drainage of pancreatic pseudocyst (Perry), 511
Catheterization, endoscopic, of H-type tracheoesophageal fistula (Killen), 317
vascular, during 19th century: Claude Bernard's studies on animal heat (Siegel), 595
Chalasia, cardioesophageal, and hiatus hernia, operation by fundoplication after Nissen (Bettex and Stillhart), 451
Chauliac, Guy de, and his Chirurgia Magna (Haller), 337
Chemotherapeutic drugs and radioactive isotopes, intralymphatic administration against cancer (Ariel and Resnick), 355
Chemotherapy of brain tumors by continuous arterial infusion (Wilson), 640
for cancer, via regional perfusion and intra-arterial infusion (Fujimori et al.), 630
Children, Curling's ulcer in: review of literature and report of 5 cases (Abramson), 321
gastrointestinal hemorrhage in: 476 cases (Spencer), 718
internal hernias in (Murphy), 311
pancreatic pseudocysts in (Kilman et al.), 455
umbilical hernia in, 25 year study of (Sibley, Lynn, and Harris), 462
Chirurgia Magna, by Guy de Chauliac (Haller), 337
Cholangiography, operative, aid in reducing incidence of "overlooked" common bile duct stones: 1,293 cases (Hicken and McAllister), 753
Cinearteriography, coronary, and pedicle operation, in diagnosis and treatment of coronary insufficiency (Sewell), 99
Circulation, artificial, during hypothermia, blood gases and acid-base metabolism with use of blood and blood substitutes in (Schlosser and Grote), 440
extracorporeal, effects on renal function in acquired valvular heart disease (Grismer et al.), 24
red cell, in hemorrhagic shock, effect of low viscosity dextran on (Susuki and Shoemaker), 304
Colitis, ulcerative, surgical treatment of (Ross), 782
Colon, lipomas of: 20 cases (Haller and Roberts), 773
retrosternal, artificial esophagus created from: 100 operations (Petrov), 520
right, isolated, of dog, absorption patterns of intraluminal 5-fluorouracil in (Cole et al.), 252
Common bile duct stones, "overlooked," operative cholangiography as aid in reducing incidence of: 1,293 cases (Hicken and McAllister), 753
Coronary artery operations, absorbable intraluminal tube for (Ballinger, Camishion, and Fishman), 695
cinearteriography and pedicle operation in diagnosis and treatment of coronary insufficiency (Sewell), 99
Corrosion-producing environment, effect on titanium implants (Condon and Beder), 714
Curling's ulcer in childhood: review of literature and report of 5 cases (Abramson), 321
Cystjejunostomy, Roux-en-Y, and catheter enterostomy: combined internal-external drainage of pancreatic pseudocyst (Perry), 511

D

Decompression, biliary, without other external drainage, in treatment of liver injuries (Perry and LaFave), 351
Denervation, cardiopulmonary, effects of (Ballinger et al.), 574
Dextran, low molecular weight, effect on survival following hemorrhagic shock (Greenfield and Blalock), 684
on venous flow (Schwartz et al.), 106
low viscosity, effect on red cell circulation in hemorrhagic shock (Susuki and Shoemaker), 304
Diagnosis, differential, of jaundice, appraisal of (Lischer), 473
Dialysis in chronic renal failure, improved peritoneal access button for (Malette et al.), 500
Dissection, groin, for malignant melanoma, results in 220 patients (Fortner, Booher, and Pack), 485
Diuresis, osmotic, and experimental renal ischemia (Shumacker et al.), 687
Drainage, excessive, in mucoid carcinoma of gallbladder, clinical management of (Hirsch et al.), 759
external, lack of, in treatment of liver injuries by biliary decompression (Perry and LaFave), 351
internal-external, combined, of pancreatic pseudocyst: Roux-en-Y cystjejunostomy and catheter enterostomy (Perry), 511
procedure, gastric, pylorojejunostomy (Lesser), 837

Drainage—cont'd
sites, ulcers, and osteomyelitis, chronic, source of cancer, with old burn scars (Engler et al.), 654
Drill, hand, simple, for arterial surgery (McCann), 812
Drugs, cancer therapeutic, and radioactive isotopes, intralymphatic administration of (Ariel and Resnick), 355
Dumping syndrome, Henley's remedial operation for (Rutledge), 762
Duodenal ulcer, massively bleeding, more aggressive surgical attitude in management of (Herrington), 349

E

Eastman 910 (methyl 2-cyanoacrylate), for nonsuture fixation of split-thickness skin grafts (Bromberg et al.), 846
Ectopic testis and torsion (Johnson and Holmes), 854
Embolectomy, arterial, delayed, a new concept of (Spencer and Eiseman), 64
pulmonary, in patient with recent renal homotransplantation (Marchioro et al.), 505
Emboli, arterial, heparin as cause of (Roberts, Rosato, and Rosato), 803
Embolism, arterial, peripheral, changing concepts of (Cranley et al.), 57
pulmonary, vein ligation in treatment of (Mozes et al.), 621
Endarterectomy, aortoiliofemoral, for atherosclerotic occlusive disease (Darling and Linton), 184
Endoscopic catheterization of H-type tracheoesophageal fistula (Killen), 317
Enterostomy, catheter, and Roux-en-Y cystjejunostomy: combined internal-external drainage of pancreatic pseudocyst (Perry), 511
Enzyme levels, serum, relative to myocardial infarct size, method for quantitation of (Nachlas, Friedman, and Cohen), 700
Epicardectomy, effect on ventricular fibrillation threshold (Ragheb and Vineberg), 293
Esophagogastrectomy and antral excision in treatment of short esophagus, reappraisal of (Payne, Andersen, and Ellis), 344
Esophagus, artificial, retrosternal, created from colon: 100 operations (Petrov), 520
partial intussusception into plastic prosthesis (Gooselaw and Isaacson), 248
short, esophagogastrectomy and antral excision in treatment of (Payne, Andersen, and Ellis), 344
Extracorporeal circulation, effects on renal function in acquired valvular heart disease (Grismer et al.), 24
Extremities, salvage of, by vein grafts in far-advanced peripheral vascular disease (Mannick and Hume), 154

F

Fallot, tetralogy, repair of, with previous aortic-pulmonary anastomosis (Idriss and Riker), 85
Femoral-popliteal obliterative disease, autogenous in situ saphenous vein for bypass of (Connolly, Harris, and Mills), 144
Femoropopliteal and aortoiliac occlusive disease, combined, treated by splenofemoral and axillofemoral bypass grafts (Louw), 387
arteriosclerosis obliterans, arteriographic patterns and rates of progression of (Warren et al.), 135
Fenestration and graft, in treatment of dissecting aneurysm of internal carotid artery (Hardin and Snodgrass), 207
Fibrillation threshold, ventricular, effect of epicardectomy on (Ragheb and Vineberg), 293
Fibrinogen turnover rates after total hepatectomy in dogs (Gans), 544
Fistula, tracheoesophageal, H-type, endoscopic catheterization of (Killen), 317
Flow rate, relationship to excess lactate and buffer base during closed chest profound hypothermic perfusion with pump oxygenator (Neville, White, and Verdura), 281
5-Fluorouracil, intraluminal, absorption patterns of, in isolated right colon of dog (Cole et al.), 252
Foreign bodies, transit from intestinal tract through abdominal wall: report of instance of passage of toothbrushes (Kobak), 514
Fractures, transverse, of lower end of radius, torsional malalignments in (Milch), 396
Function, myocardial, relationship to survival after oligemic hypotension (Weidner, Albrecht, and Clowes), 73
Fundoplication after Nissen, operation for hiatus hernia and cardioesophageal chalasia (Bettex and Stillhart), 451

G

Gallbladder, mucoid carcinoma of: clinical management of excessive drainage (Hirsch et al.), 759
Gastric acid secretion in dogs, effects of gastric hyperthermia on (Rosswick, Economou, and Beattie), 559
drainage procedure, new, pylorojejunostomy (Lesser), 837
hyperthermia, effects on gastric acid secretion in dogs (Rosswick, Economou, and Beattie), 559
hypothermia for active upper gastrointestinal tract hemorrhage, experience with (Crampton et al.), 607
rupture during external cardiac resuscitation (Demos and Poticha), 364

Gastrointestinal hemorrhage in children: 476 cases (Spencer), 718
tract hemorrhage, active, experience with gastric hypothermia for (Crampton et al.), 607
Gland, thyroid, primary lymphoma of (Mikal), 233
Graft, autogenous vein, replacement of thrombosed deep veins, in treatment of postphlebitic syndrome, experimental approach (Cerino, McGraw, and Luke), 123
fenestration and, in treatment of dissecting aneurysm of internal carotid artery (Hardin and Snodgrass), 207
Grafts, bypass, splenofemoral and axillofemoral, in treatment of combined aortoiliac and femoropopliteal occlusive disease (Louw), 387
prosthetic, thrombosis in, influence of increased blood flow on (Dean and Read), 581
skin, split-thickness, nonsuture fixation of (Bromberg et al.), 846
vein, salvage of extremities by, in far-advanced peripheral vascular disease (Mannick and Hume), 154
venous, autogenous, for arterial repair (Dale and DeWeese), 870
Groin dissection for malignant melanoma, results in 220 patients (Fortner, Booher, and Pack), 485

H

Halsted heritage (Duckett), 859
Heart disease, valvular, acquired, renal function in, and effects of extracorporeal circulation (Grismer et al.), 24
Heat, animal, Claude Bernard's studies on (Siegel), 595
Hematocrit and temperature, effect on viscosity of blood (Virgilio et al.), 825
Hemoglobin, plasma, levels associated with use of a vertical-sheet pump-oxygenator (Mayo-Gibbon type) (Lindberg et al.), 665
Hemophiliac, major surgical procedures, including amputation, on (Miles, von Kaulla, and von Kaulla), 220
Hemorrhage, active, of gastrointestinal tract, experience with gastric hypothermia for (Crampton et al.), 607
gastrointestinal, in children: 476 cases (Spencer), 718
metabolic response to, vasodilation and (Danoff and Greene), 820
renal, experimental control of, with rapidly polymerizing adhesives (Just-Viera, del Aguila, and Yeager), 531
uncontrollable, in acute pelvic trauma, hypergastric artery ligation for (Seavers et al.), 516
Hemorrhagic shock, effect of low molecular weight dextran on survival following (Greenfield and Blalock), 684
irreversible, effects of administration of adenosine triphosphate in (Talaat, Massion, and Schilling), 813
of low viscosity dextran on red cell circulation in (Susuki and Shoemaker), 304
Henley's remedial operation for dumping syndrome (Rutledge), 762
Heparin as cause of arterial emboli (Roberts, Rosato, and Rosato), 803
Hepatectomy, total, in dogs, fibrinogen turnover rates after (Gans), 544
Hernia, hiatus, and cardioesophageal chalasia, operation by fundoplication after Nissen (Bettex and Stillhart), 451
of Morgagni, anatomic reappraisal of (Kelley and Bassett), 495
umbilical, infantile, 25-year study of (Sibley, Lynn, and Harris), 462
Hernias, internal, in children (Murphy), 311
Hiatus hernia and cardioesophageal chalasia, operation for, by fundoplication after Nissen (Bettex and Stillhart), 451
Histamine-reserpine ulcers, absence in pyloric pouches free of acid (Smith and Howes), 262
Homograft rejection, established, role of adrenocortical setroids in reversing (Marchioro et al.), 412
Homografts, renal, in patients with major donor-recipient blood group incompatibilities (Starzl et al.), 195
Homotransplantation, renal, recent, pulmonary embolectomy in patient with (Marchioro et al.), 505
Hypertension, renal artery reconstruction for (Thompson, Austin, and Wheeler), 42
Hyperthermia, gastric, effects on gastric acid secretion in dogs (Rosswick, Economou, and Beattie), 559
Hypertrophy of terminal valve, subclavian vein obstruction secondary to (Wilder, Habermann, and Nach), 214
Hyperventilation, influence on cardiac output and renal blood flow (Pollock et al.), 299
Hypogastric artery ligation for uncontrollable hemorrhage in acute pelvic trauma (Seavers et al.), 516
Hypotension, oligemic, relationship of myocardial function to survival after (Weidner, Albrecht, and Clowes), 73
Hypothermia, blood gases and acid-base metabolism with use of blood and blood substitutes in artificial circulation during (Schlosser and Grote), 440
dogs subjected to, effect of total ischemis on hind limbs of (Hamel and Moe), 274

Hypothermia—cont'd
gastric, for active upper gastrointestinal tract hemorrhage, experience with (Crampton et al.), 607
Hypothermic perfusion, profound, closed chest, with pump oxygenator, relationship of flow rate, excess lactate, and buffer base during (Neville, White, and Verdura), 281
Hypovolemic shock, effect of morphine, meperidine, and thiopental in (Chasnow et al.), 567

I

Incompatibilities, blood group, major donor-recipient, renal homografts in patients with (Starzl et al.), 195
Infarcts, myocardial, and relation of serum enzyme levels to infarct size, method for quantitation of (Nachlas, Friedman, and Cohen), 700
Infections, wound, staphylococcal, in rabbits, experimental, prevention with topical kanamycin (Spier), 421
Infusion, arterial, continuous, for chemotherapy of brain tumors (Wilson), 640
intra-arterial, and regional perfusion for cancer chemotherapy (Fujimori et al.), 630
Injuries, liver, biliary decompression without other external drainage in treatment of (Perry and LaFave), 351
Insufficiency, coronary, diagnosis and treatment, coronary cinearteriography and pedicle operation in (Sewell), 99
Intestinal atresia, total (Miller and Amir-Jahed), 737
intubation principle, new, preliminary report, with application to large bowel (Cobbin et al.), 564
obstruction, new technique for study of, in dogs (Feldman et al.), 258
tract, transit of foreign bodies through abdominal wall from: report of instance of passage of toothbrushes (Kobak), 514
Intra-arterial infusion and regional perfusion for cancer chemotherapy (Fujimori et al.), 630
Intralymphatic administration of radioactive isotopes and cancer chemotherapeutic drugs (Ariel and Resnick), 355
Intubation principle, intestinal, new, preliminary report, with application to large bowel (Cobbin et al.), 564
Intussusception due to mucocele of appendix (Mann, Wolf, and Greenblatt), 672
partial, of esophagus into plastic prosthesis (Gooselaw and Isaacson), 248
Ischemia, myocardial, surgical procedures for relief of, preliminary report (Effler), 90
Ischemia—cont'd
renal, experimental, and osmotic diuresis (Shumacker et al.), 687
total, effect on hind limbs of dogs subjected to hypothermia (Hamel and Moe), 274
Isotopes, radioactive, intralymphatic administration with cancer chemotherapeutic drugs (Ariel and Resnick), 355

J

Jaundice, differential diagnosis of, an appraisal (Lischer), 473

K

Kanamycin, topical, prevention of experimental staphylococcal wound infections with, in rabbits (Spier), 421
Kidney autotransplant, successful, after 24 hour storage (Humphries, Moretz, and Peirce), 524
Kidneys, experimental ischemia of, and osmotic diuresis (Shumacker et al.), 687

L

Lactate, excess, relationship to flow rate and buffer base during closed chest profound hypothermic perfusion with pump oxygenator Neville, White, and Verdura), 281
Lavage, peritoneal, in postoperative therapy of late peritoneal sepsis (Schumer, Lee, and Jones), 841
Ligation of veins in treatment of pulmonary embolism (Mozes et al.), 621
Limbs, hind, of dogs subjected to hypothermia, effect of total ischemia on (Hamel and Moe), 274
lower, arteriographic errors in occlusive diseases of (Madejski and Tobik), 210
Lipomas of colon: 20 cases (Haller and Roberts), 773
Liver injuries, biliary decompression without other external drainage in treatment of (Perry and LaFave), 351
regeneration following multiple resections (Dagradi, Galanti, and Brearley), 709
Lobe, single, pulmonary resections limited to, in treatment of tuberculosis (Killen et al.), 612
Lungs, canine, successful bilateral reimplantation of (Slim et al.), 676
Lymphoma, primary, of thyroid gland (Mikal), 233

M

Malalignments, torsional, in transverse fractures of lower end of radius (Milch), 396
Malignant melanoma, groin dissection for, results in 220 patients (Fortner, Booher, and Pack), 485

Mannitol, prevention of postoperative acute renal failure with, 100 cases (Powers et al.), 15
Mayo-Gibbon type of vertical-sheet pump-oxygenator, plasma hemoglobin levels associated with use of (Lindberg et al.), 665
Melanoma, malignant, groin dissection for, results in 220 patients (Fortner, Booher, and Pack), 485
Meperidine, morphine, and thiopental, effect in hypovolemic shock (Chasnow et al.), 567
Metabolic response to hemorrhage, vasodilation and (Danoff and Greene), 820
Metabolism, acid-base, and blood gases, with use of blood and blood substitutes in artificial circulation during hypothermia (Schlosser and Grote), 440
Methyl 2-cyanoacrylate (Eastman 910), for nonsuture fixation of split-thickness skin grafts (Bromberg et al.), 846
Microsurgical procedures, pneumatic needle holder suitable for (Salmon and Assimacopoulos), 446
Morgagni, hernia of, anatomic reappraisal (Kelley and Bassett), 495
Morphine, meperidine, and thiopental, effect in hypovolemic shock (Chasnow et al.), 567
Mucocele of appendix causing intussusception (Mann, Wolf, and Greenblatt), 672
Mucoid carcinoma of gallbladder: clinical management of excessive drainage (Hirsch et al.), 759
Myocardial function, relationship to survival after oligemic hypotension (Weidner, Albrecht, and Clowes), 73
infarcts and relation of serum enzyme levels to infarct size, method for quantitation of (Nachlas, Friedman, and Cohen), 700
ischemia, surgical procedure for relief of (Effler), 90

N

Needle holder, pneumatic, suitable for microsurgical procedures (Salmon and Assimacopoulos), 446
Neoplasms, small-bowel: elusive source of abdominal symptoms (Strauch), 240
Nephrectomy, total, report of successful canine autotransplant after: 24 hour kidney storage (Humphries, Moretz, and Peirce), 524
Nonsuture fixation of split-thickness skin grafts (Bromberg et al:), 846

O

Obstruction, intestinal, new technique for study of, in dogs (Feldman et al.), 258
Occlusive disease, atherosclerotic, aortoiliofemoral endarterectomy for (Darling and Linton), 184
combined aortoiliac and femoropopliteal, treatment by splenofemoral and axillofemoral bypass grafts (Louw), 387
of lower limbs, arteriographic errors in (Madejski and Tobik), 210
Oligemic hypotension, relationship of myocardial function to survival after (Weidner, Albrecht, and Clowes), 73
Operations, various, for peptic ulcer, appraisal (Walters and ReMine), 585
Osmotic diuresis and experimental renal ischemia (Shumacker et al.), 687
Osteomyelitis, chronic, ulcers, and drainage sites, source of cancer, with old burn scars (Engler et al.), 654
Oxygenator, pump, relationship of flow rate, excess lactate, and buffer base during closed chest profound hypothermic perfusion with (Neville, White, and Verdura), 281
vertical-sheet (Mayo-Gibbon type), plasma hemoglobin levels associated with use of (Lindberg et al.), 665

P

Pancreatic pseudocysts in children (Kilman et al.), 455
Pancreatitis, acute, treatment with adrenocorticosteroids (Anderson, Booher, and Lim), 551
alcoholic, chronic: a surgical disease? (Egdahl), 604
Pedicle operation and coronary cinearteriography in diagnosis and treatment of coronary insufficiency (Sewell), 99
Pelvic trauma, acute, hypogastric artery ligation for uncontrollable hemorrhage in (Seavers et al.), 516
Peptic ulcer, various operations for, appraisal (Walters and ReMine), 585
Perfusion, brain, experimental (Hugosson, Nordström, and Silander), 427
closed chest profound hypothermic, with pump oxygenator, relationship of flow rate, excess lactate, and buffer base during (Neville, White, and Verdura), 281
regional, and intra-arterial infusion for cancer chemotherapy (Fujimori et al.), 630
Peritoneal access button, improved, for dialysis in chronic renal failure (Malette et al.), 500
lavage in postoperative therapy of late peritoneal sepsis (Schumer, Lee, and Jones), 841
Physiology, training in, during surgical residency (Humphrey), 602

Pilonidal sinus, squamous cell carcinoma arising in (Cleveland and Green), 381
Plasma hemoglobin levels associated with use of vertical-sheet pump-oxygenator (Mayo-Gibbon type) (Lindberg et al.), 665
Plastic arterial substitutes, long-term evaluation of, experimental study (Szilagyi, Pfeifer, and DeRusso), 165
Popliteal-femoral obliterative disease, autogenous in situ saphenous vein for bypass of (Connolly, Harris, and Mills), 144
Postphlebitic syndrome, treatment by autogenous vein graft replacement of thrombosed deep veins, experimental approach (Cerino, McGraw, and Luke), 123
Prosthesis, plastic, partial intussusception of esophagus into (Gooselaw and Isaacson), 248
Prosthetic grafts, thrombosis in, influence of increased blood flow on (Dean and Read), 581
Pseudocyst, pancreatic, combined internal-external drainage of: Roux-en-Y cystjejunostomy and catheter enterostomy (Perry), 511
Pseudocysts, pancreatic, in children (Kilman et al.), 455
Pulmonary-aortic anastomosis, prior to repair of tetralogy of Fallot (Idriss and Riker), 85
Pulmonary embolectomy in patient with recent renal homotransplantation (Marchioro et al.), 505
  embolism, vein ligation in treatment of (Mozes et al.), 621
  resections limited to one lobe in treatment of tuberculosis (Killen et al.), 612
Pulse, toe, useful clinical tool (Linn et al.), 809
Pump oxygenator, relationship of flow rate, excess lactate, and buffer base during closed chest profound hypothermic perfusion with (Neville, White, and Verdura), 281
  vertical-sheet (Mayo-Gibbon type), plasma hemoglobin levels associated with use of (Lindberg et al.), 665
Pyloric pouches free of acid, absence of histamine-reserpine ulcers in (Smith and Howes), 262
  stenosis, hypertrophic, pyloromyotomy for, simplification by stomach inflation (Schuster and Colodny), 735
Pylorojejunostomy, new gastric drainage procedure (Lesser), 837
Pyloromyotomy for hypertrophic pyloric stenosis, simplification by stomach inflation (Schuster and Colodny), 735

Q

Quantitation of myocardial infarcts and relation of serum enzyme levels to infarct size, method for (Nachlas, Friedman, and Cohen), 700

R

Radioactive isotopes, intralymphatic administration of, with cancer chemotherapeutic drugs (Ariel and Resnick), 355
Radius, transverse fractures of lower end of, torsional malalignments in (Milch), 396
Red cell circulation in hemorrhagic shock, effect of low viscosity dextran on (Susuki and Shoemaker), 304
Regeneration of liver following multiple resections (Dagradi, Galanti, and Brearley), 709
Regional perfusion and intra-arterial infusion for cancer chemotherapy (Fujimori et al.), 630
Reimplantation of canine lungs, bilateral, successful (Slim et al.), 676
Rejection, homograft, established, role of adrenocortical steroids in reversing (Marchioro et al.), 412
Renal artery reconstruction for hypertension (Thompson, Austin, and Wheeler), 42
  blood flow and cardiac output, influence of hyperventilation on (Pollock et al.), 299
  failure, chronic, dialysis in, improved peritoneal access button for (Malette et al.), 500
  prevention of postoperative acute, with mannitol, 100 cases (Powers et al.), 15
  function in acquired valvular heart disease and effects of extracorporeal circulation (Grismer et al.), 24
  hemorrhage, experimental control of, with rapidly polymerizing adhesives (Just-Viera, del Aguila, and Yeager), 531
  homografts in patients with major donor-recipient blood group incompatibilities (Starzl et al.), 195
  homotransplantation, recent, pulmonary embolectomy in patient with (Marchioro et al.), 505
  ischemia, experimental, and osmotic diuresis (Shumacker et al.), 687
Resections, multiple, liver regeneration following (Dagradi, Galanti, and Brearley), 709
  pulmonary, limited to one lobe in treatment of tuberculosis (Killen et al.), 612
Reserpine-histamine ulcers, absence in pyloric pouches free of acid (Smith and Howes), 262
Residency, surgical, training in physiology during (Humphrey), 602
Resuscitation, cardiac, external, resulting in gastric rupture (Demos and Poticha), 364
Retrosternal artificial esophagus created from colon: 100 operations (Petrov), 520
Roux-en-Y Cystjejunostomy and catheter enterostomy: combined internal-external drainage of pancreatic pseudocyst (Perry), 511
Rupture, gastric, during external cardiac resuscitation (Demos and Poticha), 364

S

Salvage of extremities by vein grafts in far-advanced peripheral vascular disease (Mannick and Hume), 154
Saphenous vein, autogenous in situ, for bypass of femoral-popliteal obliterative disease (Connolly, Harris, and Mills), 144
Scars of old burns, source of cancer, with chronic osteomyelitis, ulcers, and drainage sites (Engler et al.), 654
Secretion of gastric acid in dogs, effects of gastric hyperthermia on (Rosswick, Economou, and Beattie), 559
Sepsis, peritoneal, late, peritoneal lavage in postoperative therapy of (Schumer, Lee, and Jones), 841
Serosal interface, silicone, for abatement of talc adhesions in dogs (Cook), 268
Serum enzyme levels relative to myocardial infarct size, method for quantitation of (Nachlas, Friedman, and Cohen), 700
Shield, protective, for carotid surgery (Colt), 250
Shock, hemorrhagic, effect of low molecular weight dextran on survival following (Greenfield and Blalock), 684
low viscosity dextran on red cell circulation in (Susuki and Shoemaker), 304
irreversible, effects of administration of adenosine triphosphate in (Talaat, Massion, and Schilling), 813
hypovolemic, effect of morphine, meperidine, and thiopental in (Chasnow et al.), 567
Silicone serosal interface for abatement of talc adhesions in dogs (Cook), 268
Sinus, pilonidal, squamous cell carcinoma arising in (Cleveland and Green), 381
Skin grafts, spit-thickness nonsuture fixation of (Bromberg et al.), 846
Society for Vascular Surgery issue, 1
Splenofemoral and axillofemoral bypass grafts in treatment of combined aortoiliac and femoropopliteal occlusive disease (Louw), 387
Split-thickness skin grafts, nonsuture fixation (Bromberg et al.), 846
Squamous cell carcinoma arising in pilonidal sinus (Cleveland and Green), 381
Staphylococcal wound infections in rabbits, experimental, prevention with topical kanamycin (Spier), 421
Stenosis, hypertrophic, of pylorus, pyloromyotomy for, simplification by stomach inflation (Schuster and Colodny), 735
Steroids, adrenocortical, role in reversing established homograft rejection (Marchioro et al.), 412
Stomach acid secretion in dogs, effects of gastric hyperthermia on (Rosswick, Economou, and Beattie), 559
hypothermia of, for active upper gastrointestinal tract hemorrhage, experience with (Crampton et al.), 607
rupture during external cardiac resuscitation (Demos and Poticha), 364
Stones, common bile duct, "overlooked," operative cholangiography as aid in reducing incidence of: 1,293 cases (Hicken and McAllister), 753
Subclavian vein obstruction secondary to hypertrophy of terminal valve (Wilder, Habermann, and Nach), 214
Surgery, carotid, protective shield for (Colt), 250
Surgical procedures, major, including amputation, on hemophiliac (Miles, von Kaulla, and von Kaulla), 220
residency, training in physiology during (Humphrey), 602
treatment of ulcerative colitis (Ross), 782
Survival following hemorrhagic shock, effect of low molecular weight dextran on (Greenfield and Blalock), 684
Suture technique, continuous or interrupted, more foreign material with (Jacobson and Bush), 418
Sutures, thrombosis on, in various cardiac chambers (Pate), 291

T

Technique, new, for study of intestinal obstruction in dogs (Feldman et al.), 258
Temperature and hematocrit, effect on viscosity of blood (Virgilio et al.), 825
Terminal valve, hypertrophy of, subclavian vein obstruction secondary to (Wilder, Habermann, and Nach), 214
Testis, ectopic, and torsion (Johnson and Holmes), 854
Tetany, postoperative, and thyroid carcinoma (Chamberlin, Fries, and Allen), 787
Tetralogy of Fallot, repair of, with previous aortic-pulmonary anastomosis (Idriss and Riker), 85
Therapy, comparative, of thrombophlebitis (Sawyer et al.), 113
postoperative, of late peritoneal sepsis, peritoneal lavage in (Schumer, Lee, and Jones), 841
Thiopental, morphine, meperidine and, effect of, in hypovolemic shock (Chasnow et al.), 567
Thrombophlebitis, comparative therapy of (Sawyer et al.), 113
superficial, method of managing (Hafner et al.), 201
Thrombosed deep veins, autogenous vein graft replacement of, in treatment of postphlebitic syndrome, experimental approach (Cerino, McGraw, and Luke), 123

Thrombosis, aortoiliac, survival and complications in 134 surgically treated cases of (Hardin), 617
in prosthetic grafts, influence of increased blood flow on (Dean and Read), 581
on sutures in various cardiac chambers (Pate), 291
Thyroid carcinoma and postoperative tetany (Chamberlin, Fries, and Allen), 787
gland, primary lymphoma of (Mikal), 233
Titanium implants in corrosion-producing environment (Condon and Beder), 714
Toe pulse, useful clinical tool (Linn et al.), 809
Toothbrushes, report of passage through abdominal wall (Kobak), 514
Torsion and ectopic testis (Johnson and Holmes), 854
Torsional malalignments in transverse fractures of lower end of radius (Milch), 396
Toxicity of multiple injections of Angio-CONRAY (Rhea et al.), 831
Tracheoesophageal fistula, H-type, endoscopic catheterization of (Killen), 317
Transfusion, blood, general principles of (Crosby), 483
Transposition of great vessels, successful two-stage correction (Mustard), 469
Trauma, pelvic, acute, hypogastric artery ligation for uncontrollable hemorrhage in (Seavers et al.), 516
Tube, absorbable, intraluminal, for operations upon coronary arteries (Ballinger, Camishion, and Fishman), 695
Tuberculosis, pulmonary resections, limited to single lobe in treatment of (Killen et al.), 612
Tumors, brain, chemotherapy by continuous arterial infusion (Wilson), 640

U

Ulcer, Curling's, in childhood: review of literature and report of 5 cases (Abramson), 321
duodenal, massively bleeding, more aggressive surgical attitude in management of (Herrington), 349
peptic, various operations for, appraisal (Walters and ReMine), 585
Ulcerative colitis, surgical treatment of (Ross), 782
Ulcers, chronic, osteomyelitis, and drainage sites, source of cancer, with old burn scars (Engler et al.), 654
histamine-reserpine, absence in pyloric pouches free of acid (Smith and Howes), 262
Umbilical hernia, infantile, 25 year study of (Sibley, Lynn, and Harris), 462

V

Valve, terminal, hypertrophy of, subclavian vein obstruction secondary to (Wilder, Habermann, and Nach), 214
Valvular heart disease, acquired, renal function in, and effects of extracorporeal circulation (Grismer et al.), 24
Vascular catheterization during 19th century: Claude Bernard's studies on animal heat (Siegel), 595
disease, far-advanced, peripheral, salvage of extremities by vein grafts in (Mannick and Hume), 154
Surgery, Society for, 1
Vasodilation and metabolic response to hemorrhage (Danoff and Greene), 820
Vein graft replacement, autogenous, of thrombosed deep veins, in treatment of postphlebitic syndrome, experimental approach (Cerino, McGraw, and Luke), 123
grafts, salvage of extremities by, in far-advanced peripheral vascular disease (Mannick and Hume), 154
ligation in treatment of pulmonary embolism (Mozes et al.), 621
obstruction, subclavian, secondary to hypertrophy of terminal valve (Wilder, Habermann, and Nach), 214
saphenous, autogenous in situ, for bypass of femoral-popliteal obliterative disease (Connolly, Harris, and Mills), 144
Venous anastomosis apparatus used for free autografts of bowel (Nakayama et al.), 796
flow, effect of low molecular weight dextran on (Schwartz et al.), 106
grafts, autogenous, for arterial repair (Dale and DeWeese), 870
Ventricular fibrillation threshold, effect of epicardectomy on (Ragheb and Vineberg), 293
Vertical-sheet pump-oxygenator (Mayo-Gibbon type), plasma hemoglobin levels associated with use of (Lindberg et al.), 665
Vessels, great, transposition of, successful two-stage correction (Mustard), 469
Villous adenomas of appendix (Goldfarb and Kempson), 769
Viral warts in anorectum possibly precluding cancer (Young), 367
Viscosity of blood, effect of temperature ond hematocrit on (Virgilio et al.), 825

W

Warts, viral, in anorectum, possibly precluding cancer (Young), 367
Wound infections, staphylococcal, in rabbits, experimental, prevention with topical kanamycin (Spier), 421